Technical Report No 60.160.12.14016.02



Dated 2013-08-28

| Applicant :              | Baby Solutions SA<br>Via Magazzini Generali 10 |  |  |
|--------------------------|--|--|--|
| Test Subject :           | 3 Drawer Storage<br>Style No.: 70008.11        |  |  |
| Purpose of examination : | (1)  | Furniture containers and work plans for domestic and for kitchen<br>- requirements of safety and test methods<br>EN 14749:2005 |  |
| Test result :            | Refe   | r to section 3   |  |
| Conclusion :             | (1)  | Furniture containers and work plans for domestic Pass<br>and for kitchen - requirements of safety and test<br>methods          |  |
| Remarks                  |  | ne results relate only to the items tested.<br>amples are tested as received.  |  |

Note: No extract, abridgment or abstraction from a test report may be published or used to advertise a product without the written consent of the Director of TUV SUD Hong Kong Ltd. The results contained herein apply only to the particular sample tested and to the specific test carried out and not to samples of the current production line.



- 1. Order
- 1.1 Customer's Reference Style No.: 70008.11
- **1.2** Receipt Date of Test Sample, Location Received on 2013-08-07, Hong Kong
- **1.3 Date of Testing, Location** From 2013-08-12 to 2013-08-15, Hong Kong
- 1.4 Document submitted Nil

## 2. Description of the Test Subject

| Sample<br>No. | Color and Description | Photograph |
|---------------|-----------------------|------------|
| 001           | 3 Drawer Storage      |            |

## **Technical Data**

| Dimension              | Weight |
|------------------------|--------|
| 460W x 300D x 1100H mm | 11kg   |



# 3. Test Results

| Test<br>Item | Test Method  | Test Result                                 | Rating |
|--------------|--|---|--------|
| 6.1          | General safety requirements  | 1   |        |
|              | Components or parts of the furniture with which the<br>user may come into contact during normal use shall<br>have no burrs and/or sharp edges, nor shall there be<br>any open-ended tubes.   | No burrs/ sharp edges/<br>open-ended tubes. | P      |
|              | All movable parts accessible during normal use shall<br>have safety distances in any position during movement<br>of <=8 mm or >=25 mm. This applies to any elements<br>moving relatively to each other, with the exception of<br>doors, flaps and extension elements including their<br>hardware. The safety distances also apply to the<br>distance between handles/ handgrips and other parts.   | No shear squeeze.                           | P      |
|              | In order to avoid pinching points for feet, the safety height for vertically moving units shall be at least 100mm from the floor.  | No vertical moving units.                   | NA     |
|              | All extension elements whose total mass (according to 6.2.3) exceeding 10 Kg but where safety tests are not required (see 6.2) shall have effective open stops, i.e. they shall resist being pulled out of the unit once by a horizontal force of 200 applied to the handle of the loaded extension element, or they shall be supplied with product information to this effect.  | No extension elements.                      | NA     |
|              | Any external, vertical glass component>= $0.1 \text{ m}^2$ in area, where the smallest dimension is greater than or equal to 200mm and any part of which is less than 900mm above the floor, shall not break when test according to EN14072, or shall break as specified in En14072:2003, clause 7, C.2 or C.3.  | No glass component.                         | NA     |
|              | In order to prevent children's heads and necks from<br>being entrapped by lids of storage units, all storage<br>units or storage areas within storage furniture, which<br>are closed by a horizontal lid that is 1000mm or less<br>from and weights 0.25kg or more shall be fitted with a<br>means of preventing closure under a force less than<br>8N, e.g. a self locking stay or a friction stay. In the case<br>of friction stays, product information shall be correct<br>adjustment of the closing friction. | No horizontal lid.                          | NA     |
|              | No unloaded shelf shall tip when a downwards vertical force of 100N is applied to any point 25mm in front the front edge.  | No tip over occurred<br>under 100N.         | P      |
|              | All roll fronts and doors sliding vertical including those<br>constructed from hinged elements shall not move by<br>themselves from any position higher than 200mm<br>measured from the closed position if this can cause<br>any injury.   | No roll fronts and doors.                   | NA     |



| 6.2   | Principles of safety requirements   |  |   |
|-------|---|--|---|
| 6.2.1 | General   | Height of centre of  | / |
| -     | The following safety requirements are base upon the   | gravity: 550mm >350mm  | - |
|       | knowledge that kitchen unit and domestic storage  | Area of shelf:   |   |
|       | furniture and their components are likely to cause  | 4.6x3.0=13.8dm <sup>2</sup>  |   |
|       | serious injury only when they are heavy and fall  |  |   |
|       | through a significant distance.   | Total mass:  |   |
|       | Therefore, with the exception of vertical glass   | 0.65x13.8x4+11=46.88kg   |   |
|       | components (6.5) and stability (6.6), the test methods  | l contraction de la contractica de la contractic |   |
|       | and requirements specified in 6.3 are only applicable to  | Requirements in clause   |   |
|       | loaded units and components whose centre of gravity   | 6.3 were applicable.   |   |
|       | is:   |  |   |
|       | - At or above 900mm from the floor and whose total  | Value:   |   |
|       | mass equals or exceeds 10kg; or   | 0.55x46.88=25.78>6   |   |
|       | - At or above 350mm and whose total mass equals   |  |   |
|       | or exceeds 35kg.  | Requirements in clause   |   |
|       | The requirements and test methods for the stability   | 6.6 were applicable.   |   |
|       | (6.6) apply only to storage units, where the height to  |  |   |
|       | the top of the unit exceeds 600mm, and when the   |  |   |
|       | multiplication of the height of the centre of the gravity in  |  |   |
|       | m and the total mass in kg exceeds the value 6.   |  |   |
| 6.2.2 | Determination of centre of gravity  |  | 1 |
| 0.2.2 | The centre of gravity of a component or unit shall be   |  | / |
|       | taken as the geometric centre of that unit, except in the   |  |   |
|       | case of extension elements, where the geometric   |  |   |
|       | centre of the usable volume shall be used.  |  |   |
| 6.2.3 | Determination of total mass   |  | 1 |
| 0.2.0 | The total mass is the mass of the component or unit   |  | ' |
|       | plus the mass supported by it.  |  |   |
|       | Unless conspicuously and durably marked by the  |  |   |
|       | manufacturer with a maximum load, the mass of the   |  |   |
|       | contents shall be determined according to Table 1,  |  |   |
|       | which specifies load per unit area for shelves and the  | 1  |   |
|       | load per unit volume for extension elements and   |  |   |
|       | baskets.  |  |   |
|       | Table 1 – Loads   |  |   |
|       | Component Load  |  |   |
|       | All horizontal storage areas, including shelves, bottoms, tops 0,65 kg/dm <sup>2</sup><br>and flaps |  |   |
|       | Extension elements and fixed baskets 0,2 kg/dm <sup>3</sup>   |  |   |
|       | Clothes rails 4 kg/dm   |  |   |
|       | Suspended filing pockets 2.5 kg/dm <sup>a</sup>   |  |   |
|       | <sup>a</sup> Measured perpendicular to the plane of the filing pockets.                             |  |   |



| 6.3     | Specific safety requirements and test methods  |                  | Р |
|---------|--|------------------|---|
| 6.3.1   | <b>General</b><br>The test methods and requirements in 6.3.2 to 6.3.8<br>apply only to units and components, which fall under<br>principles in 6.2.  |                  | / |
| 6.3.2   | Shelves  |                  | Р |
| 6.3.2.1 | <b>General</b><br>Shelves shall not fall down when tested as specified in 6.3.2.2.and 6.3.2.3  | Meet requirement | P |
| 6.3.2.2 | <b>Under horizontal force</b><br>Apply a horizontal outwards force of 50% of the weight<br>of the unloaded shelf to the middle of the front edge.  |                  | Ρ |
| 6.3.2.3 | Under vertical force<br>Apply a vertical downward force of 100N to any point<br>25mm in from the front edge.   |                  | P |
| 6.3.3   | Shelf supports<br>For units with an indeterminate number of shelves,<br>unless otherwise specified, divide the internal height of<br>the article in mm by 200 and take the nearer integer.<br>This number minus 1 shall then be the number of<br>shelves to be installed.<br>Load the shelves to be tested uniformly with the load<br>specified in Table 1, except at 220 mm from one<br>support, where the impact plate ( <b>5.8</b> ) shall be tipped<br>over 10 times at a point as close to the support as<br>possible (see Figure 2). The striking surface shall be<br>that faced with rubber.<br>All supports of the shelf shall be tested.<br>After the test, the shelf and the shelf supports shall<br>show no fracture or other damage that can affect the<br>safety. | Meet requirement | P |
|         | Figure 2 — Strength test of shelf supports   |                  |   |



| 6.3.4    | Pivoted doors   | No pivoted doors  | NA |
|----------|---|---|----|
| 6.3.5    | Sliding doors   | No sliding doors  | NA |
| 6.3.6    | Extension elements  | No Extension elements   | NA |
| 6.3.7    | Flaps   | No flaps  | NA |
| 6.3.8    | Top surface and worktops.   |   | Р  |
| 6.3.8.1  | General<br>This test applies to all top surfaces and worktops which<br>are less than or equal to 1 000 mm above the floor<br>surface. The top surface shall not be loaded according<br>to Table 1.  |   | Ρ  |
| 6.3.8.2  | <b>Top surface:</b><br>Apply a vertical force 10 times with 750 N at the position most likely to cause failure but not less than 50mm from the edge using the loading pad ( <b>5.4</b> ). During each application maintain the load for 10 s. After the test the work top and/or unit shall show no fracture or other damage that can affect the safety.  |   | P  |
| 6.3.8.3  | Worktops  | No worktops   | NA |
| 6.4      | Wall and top hanging units  | Not wall or top hanging units.  | NA |
| 6.5      | Impact test for vertical glass components   | No glass components.  | NA |
| 6.6      | Stability   |   |    |
| 6.6.1    | <b>General</b><br>The stability tests in 6.6.2 and 6.6.3 shall be carried out<br>with the unit placed on the sloping floor surface (5.1) in<br>any direction relative to the unit most likely to cause the<br>unit to overturn (See 4.1).<br>Units designed to be placed against the wall shall not<br>be tested in the rearwards direction. Castors shall be in<br>the position most likely to cause the unit to overturn. |   | /  |
| 6.6.2    | Free-standing kitchen floor units with worktops   |   | NA |
| 6.6.3    | All other storage units   |   | NA |
| 6.6.4    | Floor standing unit intended to be attached to the building<br>The unit shall be mounted according to the manufacturer's installation instructions and unloaded.<br>Apply a horizontal outwards force of 200 N to the middle of the front edge of the top of the unit. The force shall be maintained for not less than 10 s and not more than 15 s.   | Meet requirement.<br>Remark: The item shall<br>be attached to the<br>building before using. | P  |
| Rating k | After the test, the unit shall remain attached to the wall surface.   |   |    |

| Rading Roy. |      |    |                |  |
|-------------|------|----|----------------|--|
| Р           | Pass | NA | Not Applicable |  |
| F           | Fail | NT | Not Tested     |  |



## TÜV SÜD Hong Kong Ltd TÜV SÜD Group

Tested by:

Ricky Cheung Project Manager



Reviewed by:


Christina Chan Laboratory Manager Chemical Department

- End of Report -





## Appendix I - Assemble manual



### General Terms and Conditions of TÜV SÜD Hong Kong Limited (hereinafter referred to as the company)

#### General Information and Definitions 1.

- (1.1) In the event that an order for any services is placed, the Client shall accept the General Terms and Conditions. The General Terms and Conditions shall be applicable to all Terms and Conditions. The General Terms and Conditions shall be applicable to all orders, resulting contracts and other arrangements, including all offers made or services provided by the Company or any of its affiliated companies They are not appli-cable if and as far as they are in conflict with the regulations on services performed on behalf of governments, government bodies or any other public entity, or they are in conflict with mandatory provisions of local law. The Client's placement of orders as well as the conclusion of contracts with the Company shall be regarded as aware-ness and acceptance of these General Terms and Conditions.
- The Company strongly recommends any Client or potential Client to read the full text of these General Terms and Conditions prior to placement of any order to or conclusion of any contract with the Company. Ancillary agreements, promises and other statements made on the part of the Company staff or the experts called upon by them shall be bind-ing only if they are expressly confirmed by the Company in writing. This shall also apply to any modifications of this clause. (1.2)

#### Provision of Services 2

- (2.1) With due care and skill, the Company will provide services according to Client's specific instructions as made available by the Client. In the absence of Client's specific instructions, the following is deemed as instructions given to the Company:
   (a) The terms of any standard specification sheet or standard order form provided by the order of the company of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of the terms of any standard specification sheet or standard order form provided by the order of terms of any standard specification sheet or s
  - Company; and/or
  - Any relevant usage, practice or trade custom; and/or Such methods the Company considers technically, operationally and/or on financial
  - grounds appropriate.
- (2.2) No other party is entitled to give any instructions particularly on the scope and type of the services or the reports delivered, or on the resulting certificates (the "Reports of Findings"), unless the Company receives prior written instructions to the contrary from the Client. The
- Unless the Company receives prior Written instructions to the contrary from the Client. The Client hereby irrevocably authorizes the Company to deliver Reports of Findings to a third party where so instructed by the Client or, at the Company's discretion, where it implicitly fol-lows from circumstances, trade custom, usage or practice. The Information stated in the Report of Findings is derived from the results of inspection or testing procedures carried out in accordance with the instructions and/or Company's as-sessment of such results on the basis of any technical standards, trade custom or prac-tice, or other circumstances which should in Company's professional experience be taken into account. (2.3)nto account
- Reports of Findings issued after the testing of samples refer the Company's opinion only on
- Reports of initiality is studied and to the lessing of samples relief the company's spinion with the samples under testing and not to the lof from which the samples were drawn. Client agrees that the Company's sole responsibility is to be present at the time of the third party's intervention and to forward the results, or confirm the occurrence of the intervention, in case Client requests the Company to witness any third party's intervention. Client agrees that the Company will use the test methods for analysis as requested in the request form, and if none is stated in the form, the Company will choose the appropriate test method for analysis. (2.5)methods for analysis.
- methods for analysis. The Reports of Findings issued by the Company will reflect the facts as recorded by it at the time of its intervention only and within the limits of the instructions received or, in the absence of such instructions, within the limits of the alternative parameters applied as provided for in Clause 2.1. The Company is under no obligation to refer to, or report upon, any facts or circumstances, which are outside the specific instructions received or al-ternative parameters applied. The performance of all or part of the services may be delegated to an agent or subcon-tractor by the Company. The Client authorizes the Company to disclose all information ne-cessary for such performance to the agent or subcontractor. Documents reflecting engagements contracted between the Client and third parties or third party documents, e.a. sales contract copies, letters of credit, bills of lading, etc. should be (2.6)
- (2.7)
- (2.8)(2.8) Documents reflecting engagements contracted between the Client and third parties or third party documents, e.g. sales contract copies, letters of credit, bills of lading, etc. should be made available to the Company. These are considered to be for information only, and do not extend or restrict the scope of the services or the obligations accepted by the Company.
  (2.9) The Company agrees that, by providing the services to the Client, it neither takes the place of Client or any third party, nor otherwise assumes, abridges, abrogates or undertakes to discharge any duty of the Client to any third party or that of any third party to the Client. Also, it does not release the Client or any third party from any of their obligations.
  (2.10) Depending on the nature of each sample, all samples given to the Company shall be retained for a maximum of 3 months or for such other shorter time period as the nature of the sample permits, and then sent back to Client or otherwise disposed of at the Company will not be responsible for the samples. Storage
- In the sample perfinits, and then sent obtain to Chern to Chern to Chern to Chern to Chern to Mark Starberg and the samples. Storage of samples for more than 3 months shall incur a storage fee payable by the Client. If sam-ples are returned to the Client, the Client will be billed a handing and freight fees. Special disposal charges will be billed to the Client if incurred.

### 3. Client's Obligations

The Client shall

- ensure that all required supporting documents, information and instructions as submitted are accurate, trueful and complete. These information are to be submitted in a timely not later than 2 working days from the date of which the services are requested by the (3.1)Client
- client ensure to give all necessary access for the Company's representatives to the premis-es where the services are to be performed and to take all necessary steps to eliminate or reme-dy any dostades to, or interruptions in the performance of the services; make available any special equipment and personnel necessary for the performance of the (3.2)
- (3.3) services, if required;
- services, if required;
  (3.4) ensure that for the safety and security of working conditions, sites and installations, all necessary measures are taken during the performance of services. In this respect, the Client will not rely on the Company's advice whether required or not;
  (3.5) inform the Company of any known hazards or dangers, actual or potential, associated with any order, samples, testing or any other service rendered by the Company well in advance. Those are, but are not limited to the presence or risk of radiation, environmental pollution or poisons-toxic or noxious or explosive elements or materials;
  (3.6) fully exercise all its rights and discharge all its liabilities under any relevant sales or other contract with a third nark.
- contract with a third party

### 4. Fees and Payment

- (4.1) All Fees not agreed on between the Company and Client at the time the order is placed or a contract is concluded shall be determined by the Company's Schedule of Fees (which are subject to change). All applicable taxes shall be paid by Client, as far as mandatory laws do not provide otherwise.
  (4.2) Unless a specific period is established in the invoice, the Client shall pay upon receiving the invoice, but not later than 30 days from the relevant invoice (the "Due Date").
  (4.3) The Client shall not be entitled to retain or defer due payment of any sums to the Company on account of any dispute, counter claim or set-off against the Company. The Company reserves the right to retain or defer any due payments if any dispute arises with or it raises any counterclaim against the Client. The Company is entitled to set off due payments against payments of the

Client

- (4.4) For the collection of unpaid fees, the Company may decide to bring action in any court with competent jurisdiction. The corresponding collection costs, including at-torney's fees and related costs, shall be borne by the Client, as far as the mandatory local law does not provide otherwise.
- In case of any unforeseen problems or expenses arise while carrying out the ser-vices, the Company informs the Client. In such cases, the Company shall be en-titled to charge additional fees to cover extra time and to invoice extra costs neces-(4.5)
- titled to charge additional tees to cover extra time and to invoce extra costs neces-sarily incurred to complete the services.
  If the Company is unable to perform all or parts of the services for any cause whatsoever beyond the Company's control, including the failure by Client to comp-ly with any of its obligations provided for in the foregoing Clause 3, the Company shall nevertheless be entitled to payments of:
  (1) The amount of all non-refundable expenses incurred by the Company; and
  - (2) A proportion of the agreed fee equal to the proportion of the services actually carried out.

#### Suspension or Termination of Services 5.

In any case mentioned below, the Company shall be entitled to either suspend or terminate the provision of the services immediately and without any liability:

- (5.1) Failure by the Client to comply with any of its obligations under these General Terms and Conditions and such failure is not remedied within 10 days after a no-tice of such failure has been delivered to the Client; or
- Any suspension of payment, arrangement with creditors, bankruptcy, insol-vency, receivership or cessation of business by Client.

#### 6. Liability and Indemnification

- (6.1) Limitation of Liability
  - Clients seeking a guarantee against loss or damage should obtain appropriate insurance. The Company is neither an insurer nor a guarantor and disclaims all liability in such capacity.
     Reports of Findings are issued on the basis of the information, documents and/or samples provided by, or on behalf of the Client and solely for the benefit of the Client who is obliged to act on the basis of such Reports of Findings. benefit of the other who is opiged to act in the basis of such reports of hide ings. Neither the Company nor any of its staff, agents or subcontractors shall be liable to the Client nor to any third party for any actions taken or not taken on the basis of such Reports of Findings, or for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information pro-
  - trom unclear, erroneous, incomplete, misleading or talse information pro-vided to the Company. For any delayed, total or partial non-performance of the services arising directly or indirectly from any event beyond the Company's control, includ-ing failure by Client to comply with any of its obligations hereunder, the Company shall not be liable. (3)
  - Company shall not be liable. The liability of the Company in respect of any claim for loss, damage or ex-pense of any nature and howsoever arising shall in no circumstances ex-ceed a total aggregate sum equal to 10 times the amount of the fee paid in respect of the specific service which gives rise to such claim, and shall in any case not exceed the equivalent of 25,000 EUR in HKD. For any indirect or consequential loss (including loss of profits), the Compa-ny shall not have any liabilities. In case of any claim, the Client must give written notice to the Compa-ny within 30 days of discovery of the facts with all necessary documents to justify such claim. In any case, the Company shall be discharged from all liability for all claims for loss, damage or expense unless a lawsuit is brought within two years from: (i) the performance date of the Company for its services which refers to the claim; or (4)
  - (5)
  - (6)
    - the claim: or
- the claim; or
   (ii) the date when the service should have been completed in the event of any alleged non-performance.
   (6.2) <u>Indemnification</u>: Against all claims (actual or threatened) by any third party for loss, damage or expenses of whatsoever nature including all legal expenses and related costs and howsoever arising relating to the performance, purported performance or non-performance of any services, the Client shall guarantee, hold performance or non-performance or any services. harmless and indemnify the Company and its officers, employees, agents or sub-

#### 7. Obligation of Confidentiality, Copyright, Data Privacy Protection

- (7.1) The Company shall be authorized to make file copies of written documents, which have been made available to it for review and which are important for
- processing the order. Insofar as Reports of Findings are prepared in the course of processing the order (7.2)and which are subject to the protection of copyright, then the Company shall grant the Client a simple, non-transferable right to use, insofar as this is neces-sary and in accordance with the contractually presupposed purpose. Other rights shall not be transferred; in particular, the customer shall not be entitled to modify and/or edit audit reports or to make use of such outside of his business premises.
- (7.3) The Company and its staff which may be called in shall not disclose or use trade and business matters about which they have gained knowledge during the per-formance of their work without proper authorization.

#### 8. Miscellaneous

- (8.1) The validity, legality and enforceability of the remaining provisions shall not in any way be affected or impaired, even if any one or more provisions of these General Conditions are found to be illegal or unenforceable in any respect.
- (8.2) Client shall not directly or indirectly entire, encourage or make any offer to Company's employees to leave their employment with the Company, during the course of providing the services and for a period of one year thereafter.
   (8.3) Use of the Company's corporate name or registered marks for advertising pur-
- poses is not permitted without the Company's prior written authorization

#### Governing Law, Jurisdiction and Dispute Settlement 9.

- (9.1) Unless specifically agreed otherwise, all disputes arising out or in connection
- with contractual relationship(s) hereunder shall be governed by the applicable laws and regulations of the Hong Kong S.A.R Region. Place of performance for any obligation arising out of this contract shall be Hong Kong, the Place of TÜV SÜD Hong Kong Limited, unless otherwise ex-(9.2) pressly agreed by the parties.

### 10. Languages

In the event of any discrepancy between the English and the Chinese version of these General Terms and Conditions, the English version shall prevail.